



10mg Mango

PX International LLC
MME ID: 32-202410H -
Ingestible, Soft Chew

Sample: DIGP2605.0496.I.02694

Sample Date: 05/12/2026 Report Date: 05/15/2026

METRC Sample:

Batch #: D9705; Lot #: D9705

Potency Test Results

Cannabinoid Test Results

	7.419 mg/unit	<LOQ
	Total Potential THC	Total Potential CBD
	7.419 Total THC / 1 unit	<LOQ Total CBD / 1 unit
	THC/Unit	CBD/Unit

Terpene Test Results

Not Tested

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

1 Unit = 1 unit, 5.124g

Analyte	LOQ	Mass	Mass
	%	mg/unit	%
THCa	0.0040	7.584	0.1480
Δ9-THC	0.0030	0.769	0.0150
Δ8-THC	0.0400	<LOQ	<LOQ
THCV	0.0610	<LOQ	<LOQ
CBDa	0.0040	<LOQ	<LOQ
CBD	0.0140	<LOQ	<LOQ
CBDV	0.0040	<LOQ	<LOQ
CBN	0.0030	<LOQ	<LOQ
CBGa	0.0140	<LOQ	<LOQ
CBG	0.0140	<LOQ	<LOQ
CBC	0.0030	<LOQ	<LOQ
Total		8.352	0.1630

Total Potential THC = (THCa * 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa * 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.



Scan to View Results



Safety & Quality Tests

Visual	Pass	Moisture Content	Not Tested
Microbiological	Complete	Homogeneity	Pass
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Pass	pH	Not Tested
Result	0.64100 aw		
Limit	0.86 aw		

I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.



Accreditation #99721

Sherri Defreese

Sherri Defreese
Scientific Director

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO/IEC 17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs. Measurement Uncertainty values have been determined for all methods and analytes.

©2023 Digipath Labs | All Rights Reserved | www.digipathlabs.com | info@digipathlabs.com



10mg Mango

PX International LLC
MME ID: 32-202410H -
Ingestible, Soft Chew

Sample: DIGP2605.0496.I.02694

Sample Date: 05/12/2026 Report Date: 05/15/2026

METRC Sample:

Batch #: D9705; Lot #: D9705

Pesticides

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Not Tested

Microbials

Analyte	LOQ	Limit	Units	Status
Aerobic Bacteria	CFU/g	100	CFU/g	<100 Tested
Bile-Tolerant Gram-Negative Bacteria	100		<100	Tested
Coliforms	100		NR	NT
Yeast & Mold	100		NR	NT
Powdery Mildew			NR	NT
STEC E. coli			Negative	Tested
Salmonella			Negative	Tested
Aspergillus niger			NR	NT
Aspergillus flavus			NR	NT
Aspergillus fumigatus			NR	NT
Aspergillus terreus			NR	NT

Complete

NR = Not Reported; NT = Not Tested; TNTC = Too Numerous to Count > 10x Limit; Analyzed per Digipath Labs SOP-373, SOP-376, and/or SOP-377 with BioRad CFX96 Touch Deep Well Real-Time PCR, SOP-351 using 3M parafilm and/or Compact Dry Hardy Plates.

Mycotoxins

Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Solvents

Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Heavy Metals

Not Tested

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------



Accreditation #99721

Sherri Defreece

Sherri Defreece
Scientific Director

I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO/IEC 17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs. Measurement Uncertainty values have been determined for all methods and analytes.

©2023 Digipath Labs | All Rights Reserved | www.digipathlabs.com | info@digipathlabs.com