



Night Lotion

PX International LLC
MME ID: 32-202410H -
Topical, Lotion

Sample: DIGP2607.0648.T.03779

Sample Date: 07/07/2026 Report Date: 07/09/2026

METRC Sample:

Batch #: HD9703-D67; Lot #: HD9703-D67

Potency Test Results

Cannabinoid Test Results

	356.08 mg/unit	2,817.99 mg/unit
	Total Potential THC	Total Potential CBD
	<LOQ	<LOQ
	THCa	CBDa

1 Unit = 1 unit, 226.8g

Terpene Test Results

Not Tested

Analyte CAS No. LOQ Mass Mass

Analyte	LOQ	Mass	Mass
	%	mg/unit	%
THCa	0.00001	<LOQ	<LOQ
Δ9-THC	0.00001	356.0760	0.15700
Δ8-THC	0.00001	<LOQ	<LOQ
THCV	0.00001	<LOQ	<LOQ
CBDa	0.00001	<LOQ	<LOQ
CBD	0.00001	2817.9900	1.24250
CBDV	0.00001	<LOQ	<LOQ
CBN	0.00001	<LOQ	<LOQ
CBGa	0.00001	<LOQ	<LOQ
CBG	0.00001	<LOQ	<LOQ
CBC	0.00001	<LOQ	<LOQ
Total		3174.0660	1.39950

Total Potential THC = (THCa * 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa * 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

Safety & Quality Tests

Visual	Pass	Moisture Content	Not Tested
Microbiological	Complete	Gender	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested	HLVd	Not Tested



Scan to View Results



Accreditation #99721

Sherri Defreece

Sherri Defreece
Scientific Director

I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO/IEC 17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs. Measurement Uncertainty values have been determined for all methods and analytes.

©2023 Digipath Labs | All Rights Reserved | www.digipathlabs.com | info@digipathlabs.com



Night Lotion

PX International LLC
MME ID: 32-202410H -
Topical, Lotion

Sample: DIGP2607.0648.T.03779

Sample Date: 07/07/2026 Report Date: 07/09/2026

METRC Sample:

Batch #: HD9703-D67; Lot #: HD9703-D67

Pesticides

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Not Tested

Microbials

Analyte	LOQ	Limit	Units	Status
Aerobic Bacteria	CFU/g	100	CFU/g	<100 Tested
Bile-Tolerant Gram-Negative Bacteria	100		<100	Tested
Coliforms	100		<100	Tested
Yeast & Mold	100		<100	Tested
Powdery Mildew			NR	NT
STEC E. coli			Negative	Tested
Salmonella			Negative	Tested
Aspergillus niger			Negative	Tested
Aspergillus flavus			Negative	Tested
Aspergillus fumigatus			Negative	Tested
Aspergillus terreus			Negative	Tested

Complete

NR = Not Reported; NT = Not Tested; TNTC = Too Numerous to Count > 10x Limit; Analyzed per Digipath Labs SOP-373, SOP-376, and/or SOP-377 with BioRad CFX96 Touch Deep Well Real-Time PCR, SOP-351 using 3M parafilm and/or Compact Dry Hardy Plates.

Mycotoxins

Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Solvents

Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Heavy Metals

Not Tested

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------



Accreditation #99721

Sherri Defreese

Sherri Defreese
Scientific Director

I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO/IEC 17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs. Measurement Uncertainty values have been determined for all methods and analytes.

©2023 Digipath Labs | All Rights Reserved | www.digipathlabs.com | info@digipathlabs.com